EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	,	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ÖR	ON	2010/12/18 12:43
S2	7	(search\$3 quer\$4) near5 report same (3d 3-dimension \$ (three adj dimension\$)) near5 molecule and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 12:46
S3	0	(search\$3 quer\$4) near5 report same (3d 3-dimension \$ (three adj dimension\$)) near5 (dna gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 12:47

S4	8	(search\$3 quer\$4) near5 (report result) same (3d 3- dimension\$ (three adj dimension\$)) near5 (dna gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 12:48
S5	108	(search\$3 quer\$4) near5 (report result) same (3d 3- dimension\$ (three adj dimension\$)) and blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 12:49
S6	99	(search\$3 quer\$4) near5 (report result) same (3d 3- dimension\$ (three adj dimension\$)) and blast near5 (search\$3 quer\$) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 12:50
S7	93	(search\$3 quer\$4) near5 (result) same (3d 3-dimension \$ (three adj dimension\$)) and blast near5 (search\$3 quer\$) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ÖR	ON	2010/12/18 12:50

\$8	6	\$6 not \$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 12:55
S9	139	(search\$3 quer\$4) near5 (3d 3-dimension\$ (three adj dimension\$)) and blast near5 (search\$3 quer\$4) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 12:58
S10	12	(search\$3 quer\$4) near5 (3d 3-dimension\$ (three adj dimension\$)) same blast and blast near5 (search\$3 quer \$4) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 12:58
S11	15	(search\$3 quer\$4) near5 (3d 3-dimension\$ (three adj dimension\$)) same blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:04
S12	3	S11 not S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:04

S13	1283	(707/722 707/758).ccls. 707/722 707/758	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:41
S14	371799	("707" "709" "705" "715" "702").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:41
S15	27649	707/999.003.ccls. 707/3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S16	187	summary same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

S17	17	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20010049676-\$ or US-20020194173-\$ or US-20030118599-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$ or US-6660841-\$).did.	US-PGPUB; USPAT	OR	ON	2010/12/18 13:42
S18	297	(compar\$3 match\$3) near5 (data information) same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S19	1221	(blast near5 search\$3) same biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S20	333	(blast near5 search\$3) near10 biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

S21	1	(blast near5 search\$3) near10 biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S22	314	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S23	34	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) same (exist\$3 redundan\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S24	18	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) same (redundan \$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

S25	186	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S26	104	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) same (biolog\$4 dna sequenc\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S27	4	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) same (biolog\$4 dna sequenc\$3) same (deposit \$3 archiv\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18

S28	2	(blast near5 search\$3) near10 biolog\$4 and (mirror \$3 near5 (database (data adj base) repositor\$3)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S29	9	(mirror\$3 near5 (database (data adj base) repositor\$3)) and 702/19.cds. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S30	3	(mirror\$3 near5 (search\$3 updat\$3)) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S31	1	(planaria near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S32	2	(planarian near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

S33	160	(planaria\$1 and (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S34	95	(planaria\$1 and (database (data adj base))) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S35	1	"20020102604"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S36	1028	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S37	4	updat\$4 same (blast near5 (search\$3 quer\$4)) same (automatic\$4 interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

S38	20	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S39	39	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and "702".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S40	19	S39 not S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S41	13	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and "707".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

S42	18	(blast near5 (search\$3 quer \$4)) near10 (interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S43	5	(updat\$4 repeat\$3 loop\$3) with (blast near5 (search\$3 quer\$4)) with (automatic\$4 interval dynamic\$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S44	4204	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S45	0	} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

S46	16	(divi\$4 partition\$3) near5 (remain\$3 unfinished undone incomplete) near5 (job queue) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S47	22	(divi\$4 partition\$3) near5 (search\$3 quer\$5) same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S48	51	(divi\$4 partition\$3) near5 (search\$3 quer\$5) and (biolog \$4 dna) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S49	13	("2001/0053957"). URPN.	USPAT	OR	ON	2010/12/18 13:42
S50	51	(divi\$4 partition\$3) near5 (search\$3 quer\$5) and (biolog \$4 dna) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

S51	5	("5577249" "5706498" "5862325" "5970500" "6303297").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
\$52	45	(blast) near5 (search\$3 quer \$4 compar\$4) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S53	16	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$3) near5 (database (data adj base)) and (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42

\$\$54	11	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$2) near5 (database (data adj base)) and (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:42
S55	61	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$2) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S56	8	("5900871" "5907326" "5678039" "5944790" "5664206" "5579223" "6349275" "6567973").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S57	1	"6163785".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S58	10	(US-20010049676-\$ or US-20030217078-\$ or US-20030133556-\$ or US-20020194173-\$ or US-20030036857-\$ or US-20030125315-\$).did. or (US-7231390-\$ or US-5852715-\$ or US-6351753-\$ or US-5471622-\$ or US-6343275-\$). did.	US-PGPUB; USPAT	OR	ON	2010/12/18 13:43
S59	1	10/532198	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S60	13	(federat\$3 near5 (search\$3 quer\$4)) and (database (data adj base)) near5 (dna biolog \$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S61	2	(period\$6 interval\$2) near5 updat\$3 near5 result same (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S62	5	(period\$6 interval\$2) near5 updat\$3 same blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S63	179	(period\$6 interval\$2) near5 updat\$3 and blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S64	843	(period\$6 interval\$2) same blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S65	11	S64 and input near5 sequence	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18

S66	2	(period\$6 interval\$2) near5 updat\$3 near5 (stored archived saved) near5 (search \$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S67	2	(period\$6 interval\$2) same updat\$3 near5 (stored archived saved) near5 (search \$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S68	145	(period\$6 interval\$2) same updat\$3 near5 (stored archived saved) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S69	0	S68 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S70	30	\$68 and ("707" "705" "709" "715" "702").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S71	70	(period\$6 interval\$2) near10 blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S72	22	S63 and ("707" "705" "709" "715" "702").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S73	15	(period\$6 interval\$2) near10 updat\$3 near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S74	22	(period\$6 interval\$2) near10 updat\$3 same (database (data adj base)) near5 (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S75	301	(period\$6 interval\$2) near10 updat\$3 same (plural\$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S76	5	S75 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S77	422	(period\$6 interval\$2 daily monthly quarterly) near10 updat\$3 same (plural\$3 multiple) near5 (database (data adj base)) and (period \$6 interval\$2 daily monthly quarterly) near5 (quer\$3 search\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S78	51	(period\$6 interval\$2 daily monthly quarterly) near10 updat\$3 near5 (plural\$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S79	39	(period\$6 interval\$2 daily monthly quarterly) same updat\$3 same (current latest) near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S80	35	(period\$6 interval\$2 daily monthly quarterly) same (determin\$5 check\$3 identif \$4) same (current latest) near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S81	29	(period\$6 interval\$2) and (updat\$3 determin\$5 check\$3 identif\$4) near5 version same (database (data adj base)) near5 (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S 82	15	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-200300217078-\$ or US-20010049676-\$ or US-20020194173-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$).did.	US-PGPUB; USPAT	OR	ON	2010/12/18
S83	5	(period\$6 interval\$2) near10 updat\$3 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S84	1755692	S82 and cdna and expressed sequence tag and pharma\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S85	1	S82 and cdna and expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S86	652	(quer\$4 search\$3) near5 result and cdna and expressed near5 sequence near5 tag and pharma\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S87	3	(quer\$4 search\$3) near5 result and cdna same expressed near5 sequence near5 tag same pharma\$6 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S88	13	(quer\$4 search\$3) near5 result same cdna same expressed near5 sequence near5 tag and pharma\$6 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S89	788	(period\$5 daily monthly quarterly yearly annually) near5 (quer\$4 search\$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S90	31	\$89 and (blast tblast) near5 (search\$3 quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S91	205	(period\$5 daily monthly quarterly yearly annually) same updat\$3 near5 (quer\$4 search\$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S92	6	(period\$5 daily monthly quarterly yearly annually) same updat\$3 near5 (blast tblast) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S93	15	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20010049676-\$ or US-20020194173-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$).did.	US-PGPUB; USPAT	OR	ON	2010/12/18 13:43
S94	1	\$93 and cdna and expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S95	141	(quer\$4 search\$3) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S96	13	95 and pharmacology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S97	532	(blast tblast) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S98	18	S97 and pharmacology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S99	73	S95 and pharma\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S100	1076	(tblast blast) near5 (search\$3 quer\$4) same cdna same expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S101	693	S100 and (@pd<"20021022" @ad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S102	2	S101 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S103	4245	(tblast blast) near5 (search\$3 quer\$4) and cdna same expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S104	104	S103 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S105	45	S104 and (@pd<"20021022" @ad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S106	1190	(search\$3 quer\$4) near5 sequence near5 set and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18

S107	328	\$106 and blast near5 (search \$3 quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S108	272	\$106 and blast near5 (search \$3 quer\$4) same (database (data adj base) repository)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S109	26	S106 and blast near5 (search \$3 quer\$4) same (multiple plural\$3) near5 (database (data adj base) repository)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S110	6	\$109 and (display\$3 present \$5 view\$3 review\$3) near5 (result summary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S111	324	immunohistological and situ adj hybridization and blast\$ near5 (search\$3 quer\$4) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S112	12	immunohistological same situ adj hybridization and blast\$ near5 (search\$3 quer\$4) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S113	84	immunohistological and situ adj hybridization and blast\$ near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S114	12	immunohistological same result and situ adj hybridization same result and blast\$ and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S115	20	immunohistological and situ adj hybridization near5 (display\$3 present\$5) and blast\$ and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S116	187	summary same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S117	2	S116 and immunohistological \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S118	19	quer\$4 same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S119	54	immunohistological same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S120	17	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20030217078-\$ or US-20020194173-\$ or US-20030118599-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$ or US-6660841-\$).did.	US-PGPUB; USPAT	OR	ON	2010/12/18 13:43

S121	3	S120 and situ	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S122	2	S68 and 707/3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S123	23873	707/3 707/999.003	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S124	6	S18 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S125	0	S20 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S126	1	S22 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S127	9	S25 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S128	3	S26 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S129	3	S36 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S130	0	S101 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S131	1020	(search\$3 quer\$3) near5 result and cdna and pharma\$ and sequence near2 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S132	723	S131 and blast near5 (search \$3 quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S133	0	(search\$3 quer\$3) near5 result same cdna and (search \$3 quer\$3) near5 result same pharma\$ and (search\$3 quer \$3) near5 result same sequence near2 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S134	180	(search\$3 quer\$3) near5 result same cdna and pharma \$ and sequence near2 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S135	25	(search\$3 quer\$3) near5 result same cdna and pharma \$ and (search\$3 quer\$3) near5 result same sequence near2 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S136	18	S135 and blast	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S137	2	situ near2 hybridization same (search\$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S138	23	(search\$3 quer\$4) near2 result same functional near2 data and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S139	2297	(search\$3 quer\$4) near2 result and blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18

S140	16	S139 and functional near2 data and gene near2 expression near2 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S141	0	S139 and functional near2 data and gene near2 expression near2 data and structural near2 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S142	89	(search\$3 quer\$4) near2 result same gene near5 expression and blast and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S143	7	(search\$3 quer\$4) near2 result same gene near5 expression same function and blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S144	10	(search\$3 quer\$4) near2 result same (3d 3-d (three near2 dimension\$)) near5 structur\$3 and blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S145	20	(search\$3 quer\$4) near2 result same (3d 3-d (three near2 dimension\$)) near5 structur\$3 and gene and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S146	10	S145 not S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S147	1042	(search\$3 quer\$4) same (3d 3-d (three near2 dimension \$)) near5 structur\$3 and gene and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S148	591	(search\$3 quer\$4) same (3d 3-d (three near2 dimension \$)) near5 structur\$3 and blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S149	0	S148 and executive near2 summary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S150	0	S147 and executive near2 summary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S151	21	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20010049676-\$ or US-20020194173-\$ or US-20030054394-\$ or US-20040072806-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6649391-\$ or US-7020561-\$).did.	US-PGPUB; USPAT	OR	ON	2010/12/18 13:43
S152	20	S151 and summary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43

S153	40	(search\$3 quer\$4) same (3d 3-d (three near2 dimension \$)) near5 (gene dna) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S154	3	S153 and (display\$3 present \$3 show\$3) near5 summar\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S155	539	(search\$3 quer\$4) near5 result same (3d 3-d (three near2 dimension\$)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S156	24	S155 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18
S157	3	S156 and display\$3 near5 summar\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18

S158	31	S155 and display\$3 near5 summar\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S159	15	S158 and (dna sequence blast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S160	78	(search\$3 quer\$4) near5 result same (3d 3-d (three near2 dimension\$)) near5 structur\$3 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:43
S161	0	S97 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:57
S162	7	S97 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:57

S163	1	S97 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:57
S164	5	S36 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:57
S165	50	S36 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:57
S166	0	S36 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:58
S167	0	S47 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18

S168	19	S47 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:58
S169	6	S47 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:58
S170	6	S103 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:58
S171	115	S103 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:58
S173	0	S103 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18

S174	0	S111 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:58
S175	1	S111 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:59
S176	0	S111 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:59
S178	0	S64 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18 13:59
S179	38	S64 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/12/18

S180	2	S64 and S15	US-PGPUB;	OR	ON	2010/12/18
			USPAT;			13:59
			USOCR; FPRS;			
			EPO; JPO;			
			IBM_TDB			

12/18/2010 2:00:09 PM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_532_198_case. wsp